

WORX



2026

PRODUCT
CATALOGUE

ABOUT POSITEC

Positec is an international enterprise devoted to developing highend power tools and robotic products.The company has over 4000 employees globally. Its members include experienced engineers and professional marketing teams, expanding business across over 100 countries and regions. Nowadays, WORX has already achieved partnership with the Top 10 Hardware Retailers in North America, and also collaborated with Fortune 500 hardware retailers in Europe and Australia.

Positec continuously implements its mission of “dedicating innovation to lead the industry revolution and enhance people's lives.” Positec was driven by its name as “Positive Technology”. This name will continuously encourage us to develop reliable and innovative technologies and products to the society.





GLOBAL CUSTOMERS



ABOUT WORX

WORX is a high-end power tool brand catering to heavy industrial and construction users. Worx Professional has always abided by its high-quality and reliable brand image. Over the decades, Worx Professional has successfully earned customers' trust through its cutting-edge design, strict quality control and caring customer service.



CONTENTS

Full Range Lineup Solutions

Door & Aluminum Installation



Home Projects



HAVC Installation



Ceiling Works





1 CORDLESS SOLUTIONS

CORDELESS PRODUCT RANGE	8
20V KROSSPACK	10
HAMMER DRILL	12
IMPACT WRENCH	13
ROTARY HAMMER	14
OSCILLATION TOOL	15
12V RANGE	15

2 CORDED SOLUTIONS

CORDED PRODUCT RANGE	16
AC ROTARY DRILL	18
AC HAMMER	18
AC JIGSAW	19
AC ANGLE GRINDER	20
AC MARBLE CUTTER	21
AC HEAT GUN	21

CORDELESS PRODUCT RANGE



WU361
10mm 50Nm

20V Hammer Drill



WU388
20mm 2.8kg

20V Rotary Hammer



WE271
12.7mm 350Nm

WE272.9
12.7mm 400Nm



WE275.9
12.7mm 680Nm



20V Impact Wrench



WE696.9
Brushed Oscillation Tool

20V Oscillation Tool



WE204.1
10mm 50Nm

12V Drill Driver



WA3023



WA3054



WA3055



WA3056



WA3713



WA3924

Battery & Charger



KROSSPACK TECHNOLOGY

One Pack Powers all

- 100+ SKU, one battery for multiple tools sharing
- Three battery series to meet different operation intensities
- Industry-leading battery platform, driving efficient operation in all scenarios





Low-Internal-Resistance
battery cells
Reduces heat generation



Efficient charging & discharging
Ensures stronger working
performance



Real-time BMS monitoring
Intelligently controls current



Powerful current output
Delivers surging power



20V 10MM 50NM BL HAMMER DRILL

WU361

20V^{max} **KROSS** **PACK** **BRUSHLESS** **MOTOR**



Key specifications	
Battery Voltage	20V
No-load speed	0~1900RPM
Max Torque	50Nm
Chuck size	10mm
Torque Position	20+1+1
Impact Rate	0-30400 IPM
Drilling Capacity	Brick 10mm/Wood 30mm Steel 10mm/Concrete 10mm
Weight	With battery 1.2kg
Dimension	156*53*181 mm

Accessories
2 PCS 2.0Ah battery pack
1 PC 2A charger
1 PC hook 1 pc bit 1 pc bit clip

Key features
156mm compact length
Drilling, impact drilling and screwdriving
30400 impacts per minute
All-metal self-locking chuck



20V 1/2" 350Nm BL IMPACT WRENCH

WE271.1



Key specifications

Rated voltage	20V
Motor type	Brushlessmotor
No load speed	0-2200/2600RPM
Impact rate	0-2700/3000BPM
Max torque	350N.m
Drive rod size	12.7mm
Machine weight	1.1kg bare tool
Tool Dimension	151*62*242mm

Packaging

Carry bag + color box

Key features

Brushless motor technology
Up to 1200 Nm of torque
M10-M24 bolts heavy-duty applications
Advanced Constant Power Technology
3 speeds control features auto-stop

Accessories

1x M22 socket, 1x strap belt, 1x Parallel pin,
1x O-shaped ring

20V 1/2" 400Nm BL IMPACT WRENCH

WE272.9



Key specifications

Rated voltage	20V
Motor type	Brushlessmotor
No load speed	0-2400/2700RPM
Impact rate	0-2800/3500BPM
Max torque	400N.m
Drive rod size	12.7mm
Machine weight	1.1kg bare tool
Tool Dimension	135*61.5*187mm

Packaging

Carry bag + color box

Key features

Brushless motor technology
Up to 1200 Nm of torque
M10-M24 bolts heavy-duty applications
Advanced Constant Power Technology
3 speeds control features auto-stop

Accessories

1x M22 socket, 1x Strap belt, 1x Parallel pin,
1x O-shaped ring

20V 1/2" 680Nm BL IMPACT WRENCH

WE275.9



Key specifications

Rated voltage	20V
Motor type	Brushlessmotor
No load speed	0-2400/2700RPM
Impact rate	0-2800/3500BPM
Max torque	400N.m
Drive rod size	12.7mm
Machine weight	1.1kg bare tool
Tool Dimension	135*61.5*187mm

Packaging

Carry bag + Color box

Key features

A maximum torque of 850N.m for efficient and powerful operations
Tool length of only 140mm and bare weight of 1.3kg
Variable speed trigger allows for precise speed control
Large capacity battery for prolonged working hours
Forward and reverse button
Three modes - auto-stop, high gear, and low gear

Accessories

1x M22 socket, 1x Strap belt, 1x Parallel pin,
1x O-shaped ring

20V 3KG BL 24MM ROTARY HAMMER

WU388

20V^{max} **KROSS**
PACK **BRUSHLESS**
MOTOR

Key specifications

Rated voltage	20V
No-load speed	0-1200 rpm
Impact rate	0-5400 bpm
Impact energy	2.2J
Drilling capacity	Concrete 24mm/ Wood 27mm/Steel 13mm
Machine weight	2.6kg bare

Key features

- Pulse assist function enable it drilling in the ceramic tile
- 3 Operating function: drilling, hammer drilling and chiseling
- 2.2 Joules of impact energy and 24mm Max drilling capacity in concrete
- Electronic safety clutch for increased user protection
- SDS+ chuck makes it easy for bit changes
- Anti-vibration technology to reduce user fatigue
- Variable speed with reverse function

Accessories

- 1x Auxiliary handle, 1x Depth gauge
- 2x 4.0Ah batteries, 1x 2A charger

Packaging

- Carry bag + Color box



20V BL MULTI TOOL

WE696.9

BRUSHLESS MOTOR **20V max** **KROSS PACK**



Key specifications

Rated voltage	20V Max
No load speed	5000-18000 OPM
Oscillation angle	3.6°
Speed selection	6
Machine weight	1.26kg bare
Tool Dimension	281*54*96mm

Key features

6-speed regulation is more labor-saving
Ergonomic handle design for more comfortable grip
Tool-less system easy for blade change
Dual LED lights for easy work in dark areas

Packaging

Color box

Accessories

1x Auxiliary handle, 1x Depth gauge
2x 4.0Ah batteries, 1x 2A charger

12V 2-SPEED BL DRILL DRIVER 50NM

WE204.1

BRUSHLESS MOTOR



Key specifications

Rated voltage:	12V Max
No load speed:	0-500/0-1800/min
Chuck size:	10mm
Torque setting:	18+1
Max torque:	50N.m
Drilling capacity:	Steel 10mm/Wood 30mm
Machine weight:	0.73kg bare
Tool Dimension:	133*51*168mm

Key features

Brushless motor technology: compact size, longer motor life & increased runtime
Maximum torque up to 50Nm
Compact design with 133mm head length makes it perfect for accessing tight spaces
Smart clutch
Variable 2-speed (0-500 / 1800 rpm) for a wide range of fastening applications
Built-in power indicator shows the battery capacity

Accessories

1x Double ended bit, 1x Belt hook
2x 2.0Ah batteries, 1x 1.5A charger

Packaging

BMC



CORDED PRODUCT RANGE



WE108K
350W 10mm

AC Rotary Drill



WE709
800W 100mm

AC Angle Grinder



WU345
850W 26mm

AC Hammer



WU357
1300W 5KG



WE462
650W 85mm

AC Jigsaw



WE070S
1450W 110mm

AC Marble Cutter



WE042
2000W Ordinary



WE043
2000W Digital

AC Heat gun



350W 10MM ROTARY DRILL

WE108K



Key features

- High-efficiency 350W motor
- Mechanical variable transmission (0-3000 RPM) for a wide range of applications
- Robust motor delivers max drilling capacity
- All metal gears engineered for maximum job site durability
- Weighs only 1.2kg for reduced operator fatigue
- Ideal for working in tight spaces
- Rubberized soft grip handle provides increased comfort on the job

Key specifications

Input voltage	220 V ~ 50 Hz
Input power	350W
No-load speed	0-3000 RPM
Chuck capacity	10 mm keyless chuck
Drilling capacity	Wood 20 mm/Steel 10 mm
Machine weight	1.2kg



800W 26MM 3KG ROTARY HAMMER

WE345



Key specifications

Rated power	800W
No load speed	0-1250/min
Impact rate	0-5500 BPM
Impact energy	3J
Chuck type	SDS Plus
Drilling capacity	Steel 13mm/ Concrete 26mm/Wood 32mm
Machine weight	3kg

Key features

800W motor with SDS+ for delivering drilling diameters up to 26mm
Powerful 3J of impact energy
3 functions: drilling, hammer drilling and chiseling, with a separate chisel angle adjustment feature
Variable speed for greater control when drilling
Handy carry case for easy transport and storage

Packaging

BMC

Accessories

1x Auxiliary handle, 1x Depth gauge

1300W 17J DEMOLITION HAMMER

WE357



Key specifications

Rated power	800W
No load speed	0-1250/min
Impact rate	0-5500 BPM
Impact energy	3J
Chuck type	SDS Plus
Drilling capacity	Steel 13mm/ Concrete 26mm/Wood 32mm
Machine weight	3kg

Key features

800W motor with SDS+ for delivering drilling diameters up to 26mm
Powerful 3J of impact energy
3 functions: drilling, hammer drilling and chiseling, with a separate chisel angle adjustment feature
Variable speed for greater control when drilling
Handy carry case for easy transport and storage

Packaging

BMC

Accessories

1x Auxiliary handle, 1x Depth gauge

650W 85MM JIG SAW

WE462



Key specifications

Rated voltage	220 V ~ 50 Hz
Rated input power	650W
No load speed	1000~3000 spm
Bevel capacity	0-45°
Cutting capacity	steel-10 mm; wood-85 mm; aluminum 20mm
Machine weight	2.7 kg

Key features

copper motor with 650W power delivers premium cutting performance
6 Variable-speed control and 4-position orbital action provides versatility for easy bevel cutting on wood, metal, and more materials
SDS quick-clamp system allows for fast, tool-free blade changes.

Accessories

1*Hex key; 1*Saw blade;
1*Dust Extraction

800W 100MM ANGLE GRINDER

WE709



Key specifications

Rated voltage	220 V~50 Hz
Input power	800W
No-load speed	12000RPM
Disc size	100mm
Disc bore	16mm
Spindle thread	M10
Switch	side
Machine weight	1.4kg

Accessories

1*Spanner; 1*Disc guard,
1* Auxiliary handle

Key features

High quality copper wire motor features 800W input power
Optimal transmission ratio boasts 12000rpm high speed
MSC air inlet and outlets for fast cooling
Ergonomic slim grip design, comfortable one hand operation
Large modulus steel gear prolongs machine life
Removable dust cover protects the machine
Maze-structure air inlets



1450W 110MM MARBLE CUTTER

WE070S



Key specifications

Rated voltage	220 V ~ 50 Hz
Rated input power	1450 W
Rated no-load speed	13000 RPM
Disc size	110 mm
Disc bore	20 mm
Cutting capacity	90°-32 mm; 45°-21.5 mm
Machine weight	2.9kg

Accessories

1*Spanner; 1*Flange

Key features

Powerful 1,400W motor cuts through various types of tiles
Heavy duty blade cover
Quick release blade guard lever
Cutting depth and angle adjustable
Large cutting capacity-21.5mm at 45°and 32mm at 90°
Efficient dust extraction
Ideal for exact, horizontal cutting with pushing cuts, conversion to drawing cuts possible
Overheating, overloading and anti-vibration protection

2000W ORDINARY HEAT GUN

WE042



Key specifications

Rated voltage	220 V ~ 50 Hz
Rated input power	2000 W
Temperature	I:400°C;II:600°C
Wind speed	I:200-250L/min II:330-380L/min
Machine weight	0.65kg

Accessories

1*Duckbill flat nozzle;1*Curved flat nozzle
1*Concentrator round nozzle

Key features

2000W all-copper motor, long service life
2 electric alloy heating wires deliver fast heating up and
Safe to use: overheating protection——stop working automatically to protect the tool when temperature reaches the limit
anti-slip switch (for easy gear changing)
rubberized handle (for comfortable gripping)
anti-slip bracket (for upside down placement during working)

2000W DIGITAL HEAT GUN

WE043



Key specifications


Rated voltage	220 V ~ 50 Hz
Rated input power	2000W
Temperature	I:400°C;II:600°C
Wind speed	I:200-250L/min II:330-380L/min
Machine weight	3kg

Accessories

1*Duckbill flat nozzle;1*Curved flat nozzle
1*Concentrator round nozzle

Key features

2000W all-copper motor, long service life
Digital data indicator
2 electric alloy heating wires deliver fast heating up and
Safe to use: overheating protection
anti-slip switch (for easy gear changing)
rubberized handle (for comfortable gripping)
anti-slip bracket (for upside down placement during working)







Scan the code to follow us on YouTube

Technical information and specifications are subject to change without notice. No liability can be accepted for printing errors.

Copyright © Positec
All rights reserved

